AFRL-SR-BL-TR-98-

REPORT	DOCUMENT	[ATION	PAGE
--------	----------	--------	------

Unclassified

The second of the second secon

0081

Public reporting burden for this collection of information is estimated to aver the collection of information. Send comments regarding this burden esting Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arling	erage 1 hour per response, including the time for revie mate or any other aspect of this collection of infon gton, VA 22202-4302, and to the Office of Managen	wing instructions, searching (mation, including suggestions nent and Budget, Paperwork Reaction r reject to	No. of the Otor, Washington, UC 205U3.	
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 3. REPORT TYPE AND DATE		'ES COVERED	
	12 Dec 97	Final Tech	Report, 01 Jul 96 - 30 Jun 97	
4. TITLE AND SUBTITLE		•.•	5. FUNDING NUMBERS	
Application of Geometric and Physic	al Invariants to Object Red	cognition	F49620-96-1-0355	
6. AUTHOR(S)				
Professor Isaac Weiss				
7. PERFORMING ORGANIZATION NAME(S) AND A	DDRESS(ES)		8. PERFORMING ORGANIZATION	
Institute for Advanced Computer Stu	REPORT NUMBER			
Center for Automation Research				
University of Maryland				
College Park MD 20742				
-				
9. SPONSORING/MONITORING AGENCY NAME(S) AFOSR/NM	10. SPONSORING/MONITORING AGENCY REPORT NUMBER			
110 Duncan Avenue Suite B115				
Bolling AFB DC 20332-8050				
Bonning III B BC 20002 cooc				
11. SUPPLEMENTARY NOTES				
			•	
12a. DISTRIBUTION AVAILABILITY STATEMENT	12b. DISTRIBUTION CODE			
Distribution Unlimited.				
13. ABSTRACT (Maximum 200 words)				
		r		
The project was a continuation of a p				
and applied new ideas within the fran			We list here some of the publications	
that have resulted from this continua	tion grant along with repre	esentative abstracts.		
		DITTO	UALITY LESSIFICIED 2	
		₩	CALITY INSPECTOR	
			TED S	
	A 4 4			
I 4000019U	$\Pi \Delta \Delta$			
19980129	VTT			
1000				
14. SUBJECT TERMS			15. NUMBER OF PAGES	
Distributed systems			16. PRICE CODE	
			IV. FRICE CUDE	
	CURITY CLASSIFICATION	19. SECURITY CLASSIFICATIO		
OF REPORT OF	THIS PAGE	OF ABSTRACT	ABSTRACT	

Unclassified

Standard Form 298 (Rev. 2-89) (EG) Prescribed by ANSI Std. 239.18 Designed using Perform Pro, WHS/DIOR, Oct 94

UL

Unclassified

Final Report

Application of Geometric and Physical Invariants to Object Recognition

Award # F49620-96-1-0355

Isaac Weiss

Abstract

The project was a continuation of a previous one, entitled "Geometric Invariants in Object Recognition". We have developed and applied new ideas within the framework of the concepts used in the earlier grant. We list here some of the publications that have resulted from this continuation grant along with representative abstracts.

Journal Publications

- Applying Algebraic and Differential Invariants to Logo Recognition (with D. Doermann and E. Rivlin), Machine Vision and Applications, 9, 73-86, 1996.
- Recognizing Objects Using Deformation Invariants (with E. Rivlin), Computer Vision and Image Understanding, 65:1, 95-108, 1997.

Abstract: We study invariance to transformations having two components: 1) An arbitrary large affine transformation. This approximates a viewpoint change. 2) A small, but otherwise general, non-linear deformation. Such a deformation can arise from several sources, including change in the object itself. For instance, we want to recognize an apple even if individual apples are slightly different from each other. While there are no true invariants in this case, we show that affine invariants are quasi-invariants of these quasi-affine transformations. This is true for both global and local invariants. The method was applied to a set of real images.

• The Geometry of Visual Space (with Z. Pizlo and A. Rosenfeld), Computer Vision and Image Understanding, 65:3, 425-433, 1997.

- Visual Space: Mathematics, Engineering, and Science (with Z. Pizlo and A. Rosenfeld), Computer Vision and Image Understanding, 65:3, 450-454, 1997.
- Model-based Recognition of 3D Curves from One View. Journal of Mathematical Imaging and Vision, in press, 1997.

Abstract: It is well known that there are no geometric invariants of a projection from 3D to 2D. However, given some modeling assumptions about the 3D object, such invariants can be found. The modeling assumptions should be sufficiently strong to enable us to find such invariants, but not stronger than necessary. In this paper we find such modeling assumptions for general 3D curves under affine projection. We show, for example, that if one of the two affine curvatures is known along the 3D curve, the other can be found from the curve's 2D image. We can also derive the point correspondence between the curve and its image. We also deal with point sets and direction vectors.

 Scale Space Invariants for Recognition (with A. Bruckstein and E. Rivlin), Image and Vision Computing, 15:5, 335-344, 1997.

Abstract: In this paper we discuss a new approach to invariant signatures for recognizing curves under viewing distortions and partial occlusion. The approach is intended to overcome the ill-posed problem of finding derivatives, on which local invariants usually depend. The basic idea is to use invariant finite differences, with a scale parameter that determines the size of the differencing interval. The scale parameter is allowed to vary so that we obtain a "scale space"-like invariant representation of the curve, with larger difference intervals corresponding to larger, coarser scales. In this new representation, each traditional local invariant is replaced by a scale-dependent range of invariants. Thus, instead of invariant signature curves we obtain invariant signature surfaces in a 3-D invariant "scale space".